

Anaphylaxis Policy

North Melbourne Primary School

Issue Date: 1/10/2017

Review Date: 1/10/2019

FOOL N° 1402



Table of Contents

Background:	3
Purpose:	3
Individual Anaphylaxis Management Plans:.....	3
Individual ASCIA Action Plans:	4
Prevention Strategies:	4
School Management and Emergency Response:	5
North Melbourne Emergency Response.....	5
Responding to an incident:	5
Communication Plan:	8
Staff Training.....	10
Appendix A: Risk Minimisation and Prevention Strategies	12
Appendix B: Roles and Responsibilities.....	15
Appendix C: How to administer an EpiPen	19



North Melbourne Primary School fully complies with **Ministerial Order 706** and the associated Guidelines published and amended by the Department from time to time.

Background:

- Anaphylaxis is an acute/severe, rapidly progressive allergic reaction that is potentially life threatening. The most common allergens in school-aged children are peanuts, eggs, tree nuts (e.g.: cashews), cow's milk, fish and shellfish, wheat, soy, sesame, latex, certain insect stings and some medications.
- The key prevention of anaphylaxis in schools is knowledge of those students who have been diagnosed at risk, awareness of triggers (allergens) and prevention of exposure to these triggers. Partnerships between schools and parents are important, ensuring that certain foods or items are kept away from the student while at school.
- Adrenaline given through an EpiPen auto injector to the muscle of the outer mid-thigh is the most effective first aid treatment for anaphylaxis.

Purpose:

- To provide, as far as practicable, a safe, healthy and supportive school environment that takes into consideration the needs of all students, including those who may suffer from anaphylaxis. All students can participate equally in all aspects of the student's schooling.
- To raise awareness about anaphylaxis and the school's anaphylaxis management policy in the school community.
- To engage with parents/carers of students at risk of anaphylaxis in assessing risks, developing risk minimisation strategies and management strategies for the student.
- To ensure that each staff member has adequate knowledge about allergies, anaphylaxis and the school's policy and procedures in responding to an anaphylactic reaction.

Individual Anaphylaxis Management Plans:

- The Principal will ensure that an Individual Anaphylaxis Management Plan is developed, in consultation with the student's parents, for any student who has been diagnosed by a Medical Practitioner as being at risk of anaphylaxis.
- The Individual Anaphylaxis Management Plan will be in place as soon as practicable after the student enrolls and where possible before their first day of school.
- The Individual Anaphylaxis Management Plan will set out the following:
 - Information about the student's medical condition that relates to allergy and the potential for anaphylactic reaction, including the type of allergy/allergies the student has (based on a written diagnosis from a Medical Practitioner);
 - Strategies to minimise the risk of exposure to known and notified allergens while the student is under the care or supervision of school staff, for in-school and out-of-school settings including in the school yard, at camps and excursions, or at special events conducted, organised or attended by the school;
 - The name of the person(s) responsible for implementing the strategies;



Individual ASCIA Action Plans:

The Principal will ensure that an Individual ASCIA Action Plan is provided, in consultation with the student's parents, for any student who has been diagnosed by a Medical Practitioner as being at risk of anaphylaxis.

The Individual ASCIA Action Plan will be in place as soon as practicable after the student enrolls and where possible before their first day of school.

An ASCIA Action Plan provided by the parent that:

- Sets out the emergency procedures to be taken in the event of an allergic reaction;
- Is signed by a medical practitioner who was treating the child on the date the practitioner signs the emergency procedures plan; and
- Includes an up to date photograph of the student.

Note: The red 'ASCIA Action Plan for Anaphylaxis' is the recognised form for emergency procedure plans that is provided by medical practitioners to parents when a child is diagnosed as being at risk of anaphylaxis.

<http://www.education.vic.gov.au/school/teachers/health/Pages/anaphylaxisschl.aspx>

The student's ASCIA Action Plan should be will be reviewed, in consultation with the student's parents in all of the following circumstances:

- Annually;
- If the student's medical condition, in so far as it relates to allergy and the potential for anaphylactic reaction, changes;
- As soon as practicable after the student has an anaphylactic reaction at school; and
- When the student is to participate in an off-site activity, such as camps and excursions, or at special events conducted, organised or attended by the school (e.g. class parties, elective subjects, cultural days, fetes, incursions).

It is the responsibility of the parents to:

- Provide the ASCIA Action Plan;
- Inform the school in writing if their child's medical condition, in so far as it relates to allergy and the potential for anaphylactic reaction, changes and if relevant, provide an updated ASCIA Action Plan;
- Provide an up to date photo for the ASCIA Action Plan when that Plan is provided to the School and when it is reviewed;
- Provide the School with an Adrenaline Auto injector that is current and not expired for their child; and
- Participate in the annual review on the individual anaphylaxis management plans

Prevention Strategies:

North Melbourne Primary School 210 Errol Street North Melbourne Victoria 3051 Australia

Telephone 03 9329 6902 **Facsimile** 03 9329 9614

Email north.melbourne.ps@edumail.vic.gov.au **www.northmelbourneps.vic.edu.au**

ABN 17 797 075 704



The school has considered risk Minimisation and Prevention Strategies for all attendees in school and out of school settings, which include (but are not limited to) the following:

- During classroom activities (including class rotations, specialist and elective classes)
- Between classes and other breaks
- During recess and lunchtimes
- Before and after school
- Special events including incursions, sports, cultural days, fetes or class parties, excursions and camp

See Appendix A for specific preventative strategies.

School Management and Emergency Response:

This section outlines North Melbourne's school management responsibilities and emergency response processes in the event of an anaphylactic reaction. Specific roles and responsibilities pertain to the Principal, Staff, First Aid Coordinator and parents. See Appendix B for specific Roles and Responsibilities.

North Melbourne Emergency Response

1. A complete and up to date list of students identified as having a medical condition that relates to allergy and the potential for anaphylactic reaction is kept in:
 - i. First Aid Room in main Administration Office
 - ii. Each Specialist Teacher area;
 - iii. Each of the student's Classrooms;
 - iv. Excursion First Aid Bag with responsible teacher/First Aid officer;
 - v. Camp First Aid Bag with responsible teacher/First Aid Officer
2. Details of Individual ASCIA Action Plans are located:
 - i. In First Aid Room located in the main Administration Office
3. List of Students with medical conditions including Anaphylaxis are located in:
 - i. First Aid Room in main Administration Office
 - ii. Each of the student's Classrooms;
 - iii. On Compass
4. A summary of students with anaphylaxis is located in:
 - i. First Aid Room in main Administration Office
5. Additional Adrenaline Auto Injectors are stored in:
 - i. First Aid in main Administration Office;
6. Communication with school staff, students and parents is to occur in accordance with the communications plan.

Responding to an incident:

1. Where possible, only school staff with training in the administration of the Adrenaline Auto injector should administer the student's Adrenaline Auto injector.



2. It is imperative that an Adrenaline Auto injector is administered as soon as possible after an anaphylactic reaction.
3. If necessary; the Adrenaline Auto injector is designed to be administered by any person following the instructions in the student's ASCIA Action Plan.
4. The Adrenaline Auto injector should then be administered following the instructions in the student's ASCIA Action Plan.
5. It is important that in responding to an incident, the student does not stand and is not moved unless in further danger (e.g. the anaphylactic reaction was caused by a bee sting and the bee hive is close by).

In School Environment

In the event of an anaphylactic reaction North Melbourne staff will:

Classrooms:

- Teacher calls to notify Admin Office
- Admin staff (First Aid trained) respond to emergency situation

Yard

- Teacher calls to notify Admin Office. (if possible)
- Teacher sends anaphylaxis action card (attached to each yard duty bag) with a student to the office.
- Admin staff (First Aid trained) respond to emergency situation.
- Call an ambulance on 000 as soon as possible.
- A member of the school staff will remain with the student who is displaying symptoms of anaphylaxis at all times.

Out of School Environment

Excursions and Camps

- Each individual camp and excursion requires risk assessment for student's attending that is at risk of anaphylaxis. The process will address:
 - The location of Adrenaline Auto injectors i.e. who will be carrying them. Is there a second medical kit? Who has it?
 - 'How' to get the Adrenaline Auto injector to a student; and
 - 'Who' will call for ambulance response, including giving a detailed location.
- Emergency procedures will vary accordingly.
- A team of school staff trained in anaphylaxis will attend each event.
- Appropriate methods of communication to be discussed prior to camp, depending on the size of excursion/camp/venue. Mobile phone numbers are usual method for communicating.
- Individual Anaphylaxis Plans & ASCIA Plans for students with anaphylaxis are packed in appropriate First Aid Bag (Excursion or Camp).
- Adrenaline Auto Injector are taken before leaving school grounds and returned upon return at the Administration Office.
- Following an anaphylactic reaction, call an ambulance as soon as possible on 000. If you are using a GSM digital mobile phone which is out of range of your service provider,

North Melbourne Primary School 210 Errol Street North Melbourne Victoria 3051 Australia

Telephone 03 9329 6902 **Facsimile** 03 9329 9614

Email north.melbourne.ps@edumail.vic.gov.au **www.northmelbourneps.vic.edu.au**

ABN 17 797 075 704



displays a message indicating emergency calls only, or does not have a SIM card, call 112.

Refer to Appendix C for instructions on how to administer an EpiPen and AnaPen

If an Adrenalin auto injector is administered, the school must:

1. Immediately call an ambulance (000/112).
2. Lay the student flat and elevate their legs. Do not allow the student to stand or walk. If breathing is difficult for them, allow them to sit but not to stand.
3. Reassure the student experiencing the reaction, as they are likely to be feeling anxious and frightened as a result of the reaction and side effects of the adrenaline. Watch the student closely in case of a worsening condition. Ask another member of the school staff to move other students away and reassure them elsewhere.
4. In a situation where there is no improvement or **severe symptoms** progress (as described in the ASCIA Action Plan), a second injection (of the same dosage) may be administered after five minutes, if a second Adrenaline Auto Injector is available (such as the Adrenaline Auto injector for General Use).
5. **Then** contact the student's emergency contacts.
6. **Later**, contact Security Services Unit, Department of Training to report the incident on 9589 6266 (available 24 hours a day, 7 days a week). A report will then be lodged on IRIS (Incident Reporting Information System).

First Time reactions

- If a student has a severe allergic reaction, but has not been previously diagnosed with an allergy or being at risk of anaphylaxis, the school staff should follow the school's first aid procedures.
- This should include immediately contacting an ambulance using 000.
- It may also include locating and administering an Adrenaline Auto injector for General Use.

Post-incident support

An anaphylactic reaction can be a very traumatic experience for the student, others witnessing the reaction, and parents. In the event of an anaphylactic reaction, students and school staff may benefit from post-incident counselling (e.g. EAP Service) or school psychologist.

Review

After an anaphylactic reaction has taken place that has involved a student in the school's care and supervision, it is important that the following review processes take place.



1. The Adrenaline Auto injector must be replaced by the parent as soon as possible.
2. In the meantime, the Principal should ensure that there is adequate Adrenaline Auto injector available
3. If the Adrenaline Auto injector for General Use has been used this should be replaced as soon as possible.
4. In the meantime, the Principal should ensure that there is an interim plan in place should another anaphylactic reaction occur prior to the replacement Adrenaline Auto injector for General Use being provided.
5. The school's Anaphylaxis Management Policy should be reviewed to ensure that it adequately responds to anaphylactic reactions by students who are in the care of school staff.

Adrenaline Auto injectors for General Use:

North Melbourne PS will have general use adrenaline auto injectors for emergency use; as a back- up to those supplied by parents. The back-up Adrenaline Auto Injector are stored on the same open shelf in the office where students' Adrenaline Auto Injectors are stored. The school will have back-up injectors that cater for all students (for example; EpiPen Jr & EpiPen) The expiry date on the Adrenaline Auto Injector will be monitored by the school's First Aid Officer and will be replaced when either used or expired.

Communication Plan:

This section sets out North Melbourne Primary School's Communication Plan that provides information to all school staff, students and parents about anaphylaxis and the school's Anaphylaxis Management Policy.

The Communication Plan includes strategies for advising school staff, students and parents about how to respond to an anaphylactic reaction by a student in various environments including:

- During normal school activities including in the classroom, in the school yard, in all school buildings and sites including gymnasiums and halls; and
- During off-site or out of school activities, including on excursions, school camps and at special events conducted or organised by the School.

Communication Provided	Timing	Target Audience
------------------------	--------	-----------------

North Melbourne Primary School 210 Errol Street North Melbourne Victoria 3051 Australia

Telephone 03 9329 6902 **Facsimile** 03 9329 9614

Email north.melbourne.ps@edumail.vic.gov.au **www.northmelbourneps.vic.edu.au**

ABN 17 797 075 704



1	In House Briefing for all North Melbourne PS staff	Twice yearly	Staff
2	List of all Anaphylactic students (and other medical conditions) made available in first aid room	Term 1: First Day of school year	Staff
3	Class lists for all classrooms includes students with medical conditions including anaphylaxis	Term 1: First Day of school year OR if any changes to current list as required	Staff
4	Providing accredited anaphylactic training	Every 2 years	Staff
5	Excursions/Camps The school will consult parents of anaphylactic students in advance to discuss Plans for appropriate management of anaphylactic reaction. Taking students provided epipen on all school excursions and camps.	As required	Staff Parents
6	First Aid Coordinator advise parents of requirements to obtain ASCIA Plan for student prior to commencing new school year OR if any changes to the student's condition.	Term 4 prior to school closing for end of year or upon new enrolment or as required	Parents
7	CRT briefed at start of day by a school staff member about student/s with anaphylaxis present in their care	As required	CRT staff
8	North Melbourne Newsletter /Compass providing awareness to all parents and staff of Anaphylaxis	If required	Parents & Community



Staff Training

Teachers and other school staff who conduct classes which students with a medical condition that relates to allergy and the potential for anaphylactic reaction, must have up to date training in an anaphylaxis management training course. School staff must complete one of the following options to meet the anaphylaxis training requirements of MO706 (NMPS use option 1).

Option	Completed by	Course	Provider	Cost	Valid for
Option 1	All school staff AND 2 staff per school or per campus (school Anaphylaxis Supervisor)	<i>ASCIA Anaphylaxis e-training for Victorian schools</i> followed by a competency check by the school Anaphylaxis Supervisor	ASCIA	Free to all schools	2 years
		<i>Course in Verifying the Correct Use of Adrenaline Auto injector Devices 22303VIC</i>	Asthma Foundation	Free from the Asthma Foundation (for government schools)	3 years
Option 2	School staff as determined by the principal	<i>Course in First Aid Management of Anaphylaxis 22300VIC</i>	Any RTO that has this course in their scope of practice	Paid by each school	3 years
Option 3	School staff as determined by the principal	<i>Course in Anaphylaxis Awareness 10313NAT</i>	Any RTO that has this course in their scope of practice	Paid by each school	3 years

Please note: General First Aid training does **NOT** meet the anaphylaxis training requirements under MO706:

In addition to, all staff must participate in a briefing, to occur twice per calendar year (with the first briefing to be held at the beginning of the school year) on:

- title and legal requirements as outlined in Ministerial Order 706
- pictures of the students at your school at risk of anaphylaxis, their allergens, year levels and risk management plans that are in place
- signs and symptoms of anaphylaxis
- ASCIA Anaphylaxis e-training
- ASCIA Action Plan for Anaphylaxis and how to administer an EpiPen®
- your school's First Aid policy and emergency response procedures
- the school's Anaphylaxis Management Policy;



The briefing must be conducted by a member of school staff, preferably the school anaphylaxis supervisor, who has successfully completed an Anaphylaxis Management Training Course in the last 2 years. In the event that the relevant training and briefing has not occurred for a member of staff who has a child in their class at risk of anaphylaxis, the Principal will develop an interim Individual Anaphylaxis Management Plan in consultation with the parents of any affected student with a medical condition that relates to allergy and the potential for anaphylactic reaction. Training will be provided to relevant school staff as soon as practicable after the student enrolls, and preferably before the student's first day at school.

The Principal will ensure that while the student is under the care or supervision of the school, including excursions, yard duty, camps and special event days, there is a sufficient number of school staff present who have successfully completed an Anaphylaxis Management Training Course.

Annual Risk Management Checklist

The Principal and/or their nominee will complete an annual Risk Management Checklist as published by the Department of Education & Training to monitor compliance with their obligations.

Evaluation:

This policy will be reviewed as part of the school's three-year review cycle or as required by the Department of Training.



Appendix A: Risk Minimisation and Prevention Strategies

In school settings

Classrooms
A copy of the student's Individual ASCIA Action Plan is kept in the classroom. The plan is to have easy access even if the Adrenaline Auto injector is kept another location.
The school will liaise with parents about food-related activities ahead of time.
Use non-food treats where possible, but if food treats are used in class it is recommended that parents of students with food allergy provide a treat box with alternative treats. Treat boxes should be clearly labelled and handled by the student. Treats for other students should be treated with absolute care to ensure there is no cross contamination of food. If possible, foods should not contain the substance to which the student is allergic.
Never give food from outside sources to a student who is at risk of anaphylaxis.
Products labelled 'may contain traces of nuts' should not be served to students allergic to nuts. Products labelled 'may contain milk or egg' should not be served to students with milk or egg allergy and so forth.
Be aware of the possibility of hidden allergens in food and other substances used in cooking, gardening, science and art classes, e.g.: milk or egg cartons, empty peanut butter jars.
When cooking utensils are used in the classrooms they are washed and cleaned thoroughly after preparation of food and cooking, such as; preparation dishes, plates, knives and forks and other utensils.
Have regular discussions with students about the importance of washing hands, eating their own food and not sharing food.
A designated staff member should inform casual relief teachers, specialist teachers and volunteers of the names of any students at risk of anaphylaxis, the location of each student's Individual Anaphylaxis Management Policy, and each individual person's responsibility in managing an incident i.e.: seeking a trained staff member
Yard
The school will ensure all staff are trained in the administration of the Adrenaline Auto injector (i.e.: Epipen) to be able to respond quickly to an anaphylaxis reaction if needed.
Students with anaphylactic responses to insects should be encouraged to stay away from water or flowering plants. School staff should liaise with parents to encourage students to wear light or dark rather than bright colours, as well as closed in shoes and long sleeved garments when outdoors.
Keep the school grounds well maintained and bins covered.
Students should keep drinks and food covered while outdoors.
Special events (sporting events, incursions, class parties, etc.)
Sufficient school staff supervising the special event must be trained in the administration of an Adrenaline Auto injector to be able to respond quickly to an anaphylactic reaction if required.



School staff should avoid using food in activities or games, including as rewards.
For special occasions, School staff should consult parents in advance to either develop an alternative food menu or request the parents to send a meal for the student.
Parents of other students should be informed in advance about foods that may cause allergic reactions in students at risk of anaphylaxis and request they avoid providing students with treats whilst they are at school or at a special event.
Party balloons should not be used if any student is allergic to latex.
Out of school settings
Excursions and sporting events
Students at risk of anaphylaxis will have sufficient school staff supervising the special event that are trained in the administration of an Adrenaline Auto injector and be able to respond quickly to an anaphylactic reaction if needed.
There will always be a trained school staff member in the administration of the Adrenaline Auto injector, accompany any student at risk of anaphylaxis on excursions.
School staff should avoid using food in activities or games, including as rewards.
The Adrenaline Auto injector and a copy of the Individual Anaphylaxis Plan for each student at risk of anaphylaxis should be easily accessible and school staff must be aware of their exact location.
For each sporting event and excursion, a risk assessment should be undertaken to cover all students attending who are at risk of anaphylaxis. The risks may vary according to the number of anaphylactic students attending, the nature of the excursion/sporting event, size of venue, distance from medical assistance, the structure of excursion and corresponding staff-student ratio.
All school staff members present during the excursion need to be aware of the identity of any students attending who are at risk of anaphylaxis and be able to identify them by face.
The school should consult parents of anaphylactic students in advance to discuss issues that may arise; to develop an alternative food menu or request the parents to provide the meal (if required).
Parents may wish to accompany their child on excursions if required and approved by teaching staff. This should be discussed with parents as another strategy for supporting the student who is at risk of anaphylaxis.
Prior to the excursion taking place school staff should consult with the student's parents and medical practitioner (if necessary) to review the student's Individual Anaphylaxis Plan to ensure that it is up to date and relevant to the particular excursion activity.
Camps and remote settings.
Prior to engaging a camp owner/operator's services the school will make enquiries as to whether it can provide food that is safe for anaphylactic students. If a camp owner/operator cannot provide this confirmation to the school, then the school will consider using an alternative service provider.
The camp cook should be able to demonstrate satisfactory training in food allergen management and its implications on food-handling practices, including knowledge



<p>of the major food allergens triggering anaphylaxis, cross-contamination issues specific to food allergy, label reading, etc.</p>
<p>The school must not sign any written disclaimer or statement from a camp owner/operator that indicates that the owner/operator is unable to provide food, which is safe for students at risk of anaphylaxis. The school has a duty of care to protect students in their care from reasonably foreseeable injury and this duty cannot be delegated to any third party.</p>
<p>The school will conduct a risk assessment and develop a risk management strategy for students at risk of anaphylaxis. This should be developed in consultation with parents of students at risk of anaphylaxis and camp owners/operators prior to the camp dates.</p>
<p>School staff will consult with parents of students at risk of anaphylaxis and the camp owner/operator to ensure that appropriate risk minimisation and prevention strategies and processes are in place to address an anaphylactic reaction should it occur. If these procedures are deemed to be inadequate, further discussions, planning and implementation will need to be undertaken.</p>
<p>If the school has concerns about whether the food provided on a camp will be safe for students at risk of anaphylaxis, it should also consider alternative means for providing food for those students.</p>
<p>Use of substances containing allergens should be avoided where possible.</p>
<p>The student's Adrenaline Auto injector, Individual ASCIA Action Plan for Anaphylaxis and a mobile phone must be taken on camp. If mobile phone access is not available, an alternative method of communication in an emergency must be considered.</p>
<p>Prior to the camp taking place, school staff should consult with the student's parents to review the students Individual ASCIA Action Plan to ensure that it is up to date and relevant to the circumstances of the particular camp.</p>
<p>School staff participating in the camp should be clear about their roles and responsibilities in the event of an anaphylactic reaction. Check the emergency response procedures that the camp provider has in place. Ensure that these are sufficient in the event of an anaphylactic reaction and ensure all school staff participating in the camp are clear about their roles and responsibilities.</p>
<p>Ensure contact details of emergency services are distributed to all school staff as part of the emergency response procedures developed for the camp.</p>
<p>The school may consider taking an Adrenaline Auto injector for General Use on a school camp, even if there is no student at risk of anaphylaxis, as a backup device in the event of an emergency.</p>
<p>The school will purchase an Adrenaline Auto injector for General Use to be kept in the first aid kit at school. This may be taken on camps as a back up.</p>
<p>The Adrenaline Auto injector should remain close to the student and school staff must be aware of its location at all times</p>
<p>The Adrenaline Auto injector will be carried in the school first aid kit; however, schools can consider allowing students to carry their Adrenaline Auto injector on camp. Remembering that all school staff members still have a duty of care towards the student even if they do carry their own Adrenaline Auto injector.</p>
<p>Cooking and art and craft games should not involve the use of known allergens.</p>



Consider the potential exposure to allergens when consuming food on buses and in cabins.

Appendix B: Roles and Responsibilities

Principal

Principal

1. Ensure that the school develops, implements and reviews its school Anaphylaxis Management Policy in accordance with the Order 706 and the current Anaphylaxis Guidelines
2. Actively seek information to identify students with severe life-threatening allergies or those who have been diagnosed as being at risk of anaphylaxis, either at enrolment or at the time of diagnosis (whichever is earlier).
3. Ensure that parents provide an ASCIA Action Plan which has been signed by the student's Medical Practitioner and that contains an up-to-date photograph of the student.
4. For all kitchen staff and volunteers, be satisfied that that the provider can demonstrate satisfactory training in the area of anaphylaxis and its implications for food handling practices.
5. Ensure that parents provide the school with an Adrenaline Auto injector for their child that is not out-of-date and a replacement Adrenaline Auto injector when requested to do so.
6. Ensure that a Communication Plan is developed to provide information to all school staff, Students and parents about anaphylaxis and the school's Anaphylaxis Management Policy.
7. Ensure there are procedures in place for providing volunteers and casual relief staff of students with a medical condition have information about their role in responding to an anaphylactic reaction by a student in their care.
8. Ensure that relevant school staff have successfully completed an anaphylaxis management training course, and that it is kept up to date as required.
9. Ensure that relevant school staff are briefed at least twice a year by a staff member who has completed current anaphylaxis management training on:
The school's Anaphylaxis Management Policy;
The identities of students diagnosed at risk of anaphylaxis and the location of their medication;
How to use an Adrenaline Auto injector, including hands-on practise with a trainer Adrenaline Auto injector (which does not contain adrenaline);
The school's general first aid and emergency procedures; and
The location of Adrenaline Auto injecting devices that have been purchased by the school for General Use.
10. Allocate time, such as during staff meetings, to discuss, practise and review the school's Anaphylaxis Management Policy. Practise using the trainer Adrenaline Auto injectors as a group and undertake drills to test effectiveness of the school's general

first aid procedures.

11. Encourage ongoing communication between parents and school staff about the current status of the student's allergies, the school's policies and their implementation.
12. Ensure that the student's Individual ASCIA Action Plan is reviewed in consultation with parents annually, when the student's medical condition changes, as soon as practicably after a student has an anaphylactic reaction at school, and whenever a student is to participate in an off-site activity such as camps or excursions or at special events conducted, organised or attended by the school.
13. Ensure the Risk Management processes for anaphylaxis is completed annually.
14. Arrange to purchase and maintain an appropriate number of Adrenaline Auto injectors for General Use to be part of the school's first aid kit.

School Staff

All school staff have a duty of care to take reasonable steps to protect a student in their care from risks of injury that are reasonably foreseeable. This includes administrators, casual relief staff, specialist staff, sessional teachers and volunteers.

To assist school staff who conduct classes that students with a medical condition that relates to allergy and the potential for anaphylactic reaction attend, and others school staff where relevant, a summary of some of the key obligations under the Order, and suggested prevention strategies, is set out below.

School Staff

1. Know and understand the school Anaphylaxis Management Policy.
2. Know the identity of students who are at risk of anaphylaxis. Know the students by face.
3. Understand the causes, symptoms, and treatment of anaphylaxis.
4. Obtain regular training in how to recognise and respond to an anaphylactic reaction, including administering an Adrenaline Auto Injector.
5. Know where to find a copy of each student's Individual ASCIA Action Plan quickly, and follow it in the event of an allergic reaction.
6. Know the school's general first aid and emergency response procedures, and understand their role in relation to responding to an anaphylactic reaction.
7. Know where students' Adrenaline Auto injectors and the Adrenaline Auto injectors for General Use are kept. (Remember that the Adrenaline Auto injector is designed so that anyone can administer it in an emergency).
8. Know and follow the prevention and risk minimisation strategies in the student's Individual ASCIA Action Plan.
9. Plan ahead for special class activities (e.g. cooking, art and science classes), or special occasions (e.g. excursions, incursions, sport days, camp, cultural days, fetes and parties), either at school, or away from school. Work with parents to provide appropriate food for their child if the food the school/class is providing may present a risk for him or her.
10. Avoid the use of food treats in class or as rewards, as these may contain hidden allergens. Consider the alternative strategies provided in this document. Work with parents to provide appropriate treats for students at risk of anaphylaxis.

-
11. Be aware of the possibility of hidden allergens in foods and of traces of allergens when using items such as egg or milk cartons in art or cooking classes.
 12. Be aware of the risk of cross-contamination when preparing, handling and displaying food.
 13. Make sure that tables and surfaces are wiped down regularly and that students wash their hands after handling food.
 14. Raise student awareness about severe allergies and the importance of their role in fostering a school environment that is safe and supportive for their peers.
-

First Aid Coordinator/ School Anaphylaxis Supervisor

The First Aid Coordinator/Anaphylaxis supervisor at North Melbourne PS works with the Principal to ensure that the Anaphylaxis Policy is implemented, reviewed, monitored and improved on an annual basis

First Aid Coordinator

1. Work with Principals to develop, implement and review the school's Anaphylaxis Management Policy.
 2. Obtain regular training in how to recognise and respond to an anaphylactic reaction, including administering an Adrenaline Auto injector (i.e. EpiPen®/Anapen®).
 3. Provide or arrange regular training to other school staff to recognise and respond to anaphylactic reaction, including administration of an Adrenaline Auto injector.
 4. Keep an up-to-date register of students at risk of anaphylaxis.
 5. Keep track of Adrenaline Auto injectors as they are 'in' and 'out' from the central storage point. For instance when they have been taken on excursions, camps etc.
 6. Work with principals, parents and students to develop, implement and review each Individual ASCIA Action Plan to:
 - Ensure that the student's emergency contact details are up-to-date;
 - Regularly check that the student's Adrenaline Auto injector is not out-of-date, such as at the beginning or end of each term;
 - Inform parents in writing that the Adrenaline Auto injector needs to be replaced a month prior to the expiry date;
 - Ensure that the student's Adrenaline Auto injector is stored correctly (at room temperature and away from light) in an unlocked, easily accessible place; and
 - Ensure that a copy of the Individual ASCIA Action Plan is stored with the student's Adrenaline Auto injector.
 7. Work with school staff to conduct regular risk prevention, minimisation, assessment and management strategies.
 8. Work with school staff to develop strategies to raise their own, students and community awareness about severe allergies.
 9. Provide or arrange post-incident support (e.g. counselling) to students and school staff, if appropriate.
-



Parents of a student at risk of anaphylaxis

Parents have an important role in working with the school to minimise the risk of anaphylaxis. Set out below is a summary of some of the key obligations for parents under the Order, and some suggested areas where they may actively assist the school. This is a guide only, and is not intended to contain an exhaustive list to be relied upon by parents.

Parents

1. Inform the school in writing, either at enrolment or diagnosis, of the student's allergies, and whether the student has been diagnosed at the time as being at risk of anaphylaxis.
2. Obtain an ASCIA Action Plan from the student's Medical Practitioner that details their condition, and any medications to be administered, and other emergency procedures and provide this to the school.
3. Inform school staff in writing of any changes to the student's medical condition and if necessary, provide an updated ASCIA Action Plan.
4. Provide the school with an up to date photo for the student's ASCIA Action Plan when the plan is reviewed.
6. Provide the school with an Adrenaline Auto injector and any other medications that are current and not expired.
7. Replace the student's Adrenaline Auto injector and any other medication as needed, before their expiry date or when used.
8. Assist school staff in planning and preparation for the student prior to camps, incursions, excursions or special events (e.g. class parties, cultural days, fetes or sport days).
9. If requested by school staff, assist in identifying and/or providing alternative food options for the student when needed.
10. Inform school staff in writing of any changes to the student's emergency contact details.

Appendix C: How to administer an EpiPen

How to administer an EpiPen or EpiPen Jnr®

- 1 Remove from plastic container.
 - 2 Form a fist around EpiPen® and pull off the blue safety cap.
 - 3 Place orange end against the student's outer mid-thigh (with or without clothing).
 - 4 Push down hard until a click is heard or felt and hold in place for 3 seconds.
 - 5 Remove EpiPen®.
 - 6 Note the time you administered the EpiPen®.
 - 7 The used Adrenaline Auto Injector must be handed to the ambulance paramedics along with the time of administration.
-

How to administer an AnaPen®

- 1 Remove from box container and check the expiry date.
 - 2 Remove black needle shield.
 - 3 Form a fist around Anapen® and remember to have your thumb in reach of the red button, then remove grey safety cap.
 - 4 Place needle end against the student's outer mid-thigh.
 - 5 Press the red button with your thumb so it clicks and hold it for 10 seconds.
 - 6 Replace needle shield and note the time you administered the Anapen®.
 - 7 The used Adrenaline Auto Injector must be handed to the ambulance paramedics along with the time of administration.
-